

# [Company] Accessibility Conformance Report

VPAT® Version 2.0

**Name of Product/Version:** Kyocera ECOSYS M6630cidn

**Product Description:** Multifunction Product

**Date:** 11/2018

**Contact information:** Douglas.Cole@da.Kyocera.com

**Notes:** Encompasses MFP, Drivers and Applications

**Evaluation Methods Used:** Drivers, Application and Hardware Testing

**Applicable Standards/Guidelines:** Reflects Revised 508 Standards

This report covers the degree of conformance for the following accessibility standard/guidelines:

Standard/Guideline	Included In Report
Web Content Accessibility Guidelines 2.0, at <a href="http://www.w3.org/TR/2008/REC-WCAG20-20081211/">http://www.w3.org/TR/2008/REC-WCAG20-20081211/</a>	Level A (Not Applicable) Level AA (Not Applicable) Level AAA (Not Applicable)
Section 508 as published in 2017, at <a href="http://www.Section508.gov">http://www.Section508.gov</a>	(Yes )
EN 301 549 Accessibility requirements suitable for public procurement of ICT products and services in Europe, at <a href="http://mandate376.standards.eu/standard">http://mandate376.standards.eu/standard</a>	(No)

## Terms

The terms used in the Conformance Level information are defined as follows:

- **Supports:** The functionality of the product has at least one method that meets the criterion without known defects or meets with equivalent facilitation.
- **Supports with Exceptions:** Some functionality of the product does not meet the criterion.
- **Does Not Support:** The majority of product functionality does not meet the criterion.
- **Not Applicable:** The criterion is not relevant to the product.
- **Not Evaluated:** The product has not been evaluated against the criterion. This can be used only in WCAG 2.0 Level AAA.

## WCAG 2.0 Report

Tables 1 and 2 also document conformance with:

- EN 301 549: Chapter 9 - Web, Chapter 10 - Non-Web documents, Section 11.2.1- Non-Web Software (excluding closed functionality), and Section 11.2.2 - Non-Web Software (closed functionality).
- Revised Section 508: Chapter 5 – 501.1 Scope, 504.2 Content Creation or Editing, and Chapter 6 – 602.3 Electronic Support Documentation.

Note: When reporting on conformance with the WCAG 2.0 Success Criteria, they are scoped for full pages, complete processes, and accessibility-supported ways of using technology as documented in the [WCAG 2.0 Conformance Requirements](#).

## Table 1: Success Criteria, Level A Notes:

Notes: Non-Web based navigation technology, embedded technology via LCD Screen.

## Table 2: Success Criteria, Level AA

Notes: Non-Web based navigation technology, embedded technology via LCD Screen

## Table 3: Success Criteria, Level AAA

Notes: Non-Web based navigation technology, embedded technology via LCD Screen

# 2017 Section 508 Report

Notes:

## Chapter 3: Functional Performance Criteria (FPC)

Notes:

Criteria	Conformance Level	Remarks and Explanations
302.1 Without Vision	Not Supported	
302.2 With Limited Vision	Supported with exceptions	LCD display provides the ability to adjust the contrast.
302.3 Without Perception of Color	Supported with Exceptions	Display provides the ability to adjust the contrast.
302.4 Without Hearing	Supported	

Criteria	Conformance Level	Remarks and Explanations
302.5 With Limited Hearing	Supported	
302.6 Without Speech	Supported	
302.7 With Limited Manipulation	Supported	
302.8 With Limited Reach and Strength	Supported	
302.9 With Limited Language, Cognitive, and Learning Abilities	Supported	

## Chapter 4: Hardware

Notes:

Criteria	Conformance Level	Remarks and Explanations
402 Closed Functionality	Heading cell – no response required	Heading cell – no response required
<b>402.1 General</b>	Heading cell – no response required	Heading cell – no response required
<b>402.2 Speech-Output Enabled</b>	Heading cell – no response required	Heading cell – no response required
402.2.1 Information Displayed On-Screen	Not Supported	
402.2.2 Transactional Outputs	Not Supported	
402.2.3 Speech Delivery Type and Coordination	Not Supported	
402.2.4 User Control	Not Supported	
402.2.5 Braille Instructions	Not Supported	
<b>402.3 Volume</b>	Heading cell – no response required	Heading cell – no response required
402.3.1 Private Listening	Not Supported	
402.3.2 Non-private Listening	Not Supported	
402.4 Characters on Display Screens	Supported with exceptions	Display provides the ability to adjust the contrast
402.5 Characters on Variable Message Signs	Supported with exceptions	Display provides the ability to adjust the contrast
<b>403 Biometrics</b>	Heading cell – no response required	Heading cell – no response required
403.1 General	Not applicable	
<b>404 Preservation of Information Provided for Accessibility</b>	Heading cell – no response required	Heading cell – no response required
404.1 General	Supported	
<b>405 Privacy</b>	Heading cell – no response required	Heading cell – no response required

Criteria	Conformance Level	Remarks and Explanations
405.1 General	Not Supported	
<b>406 Standard Connections</b>	Heading cell – no response required	Heading cell – no response required
406.1 General	Supported	
<b>407 Operable Parts</b>	Heading cell – no response required	Heading cell – no response required
407.2 Contrast	Supported with exceptions	Display provides the ability to adjust the contrast
<b>407.3 Input Controls</b>	Heading cell – no response required	Heading cell – no response required
407.3.1 Tactilely Discernible	Supported	
407.3.2 Alphabetic Keys	Supported	
407.3.3 Numeric Keys	Supported	
407.4 Key Repeat	Supported	
407.5 Timed Response	Not Supported	
407.6 Operation	Supported	
407.7 Tickets, Fare Cards, and Keycards	Supported	
<b>407.8 Reach Height and Depth</b>	Heading cell – no response required	Heading cell – no response required
407.8.1 Vertical Reference Plane	Supported	
407.8.1.1 Vertical Plane for Side Reach	Supported	
407.8.1.2 Vertical Plane for Forward Reach	Supported	
407.8.2 Side Reach	Supported	
407.8.2.1 Unobstructed Side Reach	Supported	
407.8.2.2 Obstructed Side Reach	Supported	
407.8.3 Forward Reach	Supported	
407.8.3.1 Unobstructed Forward Reach	Supported	
407.8.3.2 Obstructed Forward Reach	Supported	
407.8.3.2.1 Operable Part Height for ICT with Obstructed Forward Reach	Supported	
407.8.3.2.2 Knee and Toe Space under ICT with Obstructed Forward Reach	Supported	
<b>408 Display Screens</b>	Heading cell – no response required	Heading cell – no response required
408.2 Visibility	Supported	LCD
408.3 Flashing	Supported	No Flashing
<b>409 Status Indicators</b>	Heading cell – no response required	Heading cell – no response required

Criteria	Conformance Level	Remarks and Explanations
409.1 General	Supported	
<b>410 Color Coding</b>	Heading cell – no response required	Heading cell – no response required
410.1 General	Supported with exceptions	Display provides the ability to adjust the contrast
<b>411 Audible Signals</b>	Heading cell – no response required	Heading cell – no response required
411.1 General	Supported with Exceptions	Audible Tones for navigation and errors
<b>412 ICT with Two-Way Voice Communication</b>	Heading cell – no response required	Heading cell – no response required
<b>412.2 Volume Gain</b>	Heading cell – no response required	Heading cell – no response required
412.2.1 Volume Gain for Wireline Telephones	Not Applicable	
412.2.2 Volume Gain for Non-Wireline ICT	Not Applicable	
<b>412.3 Interference Reduction and Magnetic Coupling</b>	Heading cell – no response required	Heading cell – no response required
412.3.1 Wireless Handsets	Not Applicable	
412.3.2 Wireline Handsets	Not Applicable	
412.4 Digital Encoding of Speech	Not Applicable	
412.6 Caller ID	Not Applicable	
412.7 Video Communication	Not Applicable	
<b>413 Closed Caption Processing Technologies</b>	Heading cell – no response required	Heading cell – no response required
413.1.1 Decoding and Display of Closed Captions	Not Applicable	
413.1.2 Pass-Through of Closed Caption Data	Not Applicable	
<b>414 Audio Description Processing Technologies</b>	Heading cell – no response required	Heading cell – no response required
414.1.1 Digital Television Tuners	Not Applicable	
414.1.2 Other ICT	Not Applicable	
<b>415 User Controls for Captions and Audio Descriptions</b>	Heading cell – no response required	Heading cell – no response required
415.1.1 Caption Controls	Not Applicable	
415.1.2 Audio Description Controls	Not Applicable	

## Chapter 5: Software

Notes:

Criteria	Conformance Level	Remarks and Explanations
----------	-------------------	--------------------------

<b>Criteria</b>	<b>Conformance Level</b>	<b>Remarks and Explanations</b>
501.1 Scope – Incorporation of WCAG 2.0 AA	See <a href="#">WCAG 2.0</a> section	See information in WCAG section
<b>502 Interoperability with Assistive Technology</b>	Heading cell – no response required	Heading cell – no response required
502.2.1 User Control of Accessibility Features	Supported	
502.2.2 No Disruption of Accessibility Features	Supported	
<b>502.3 Accessibility Services</b>	Heading cell – no response required	Heading cell – no response required
502.3.1 Object Information	Supported	
502.3.2 Modification of Object Information	Supported	
502.3.3 Row, Column, and Headers	Supported	
502.3.4 Values	Supported	
502.3.5 Modification of Values	Supported	
502.3.6 Label Relationships	Supported	
502.3.7 Hierarchical Relationships	Supported	
502.3.8 Text	Not supported	
502.3.9 Modification of Text	Supported with exceptions	Display provides the ability to adjust the contrast
502.3.10 List of Actions	Supported	
502.3.11 Actions on Objects	Supported with exceptions	Functions can be executed by touch hard keys, mobile device.
502.3.12 Focus Cursor	Supported	
502.3.13 Modification of Focus Cursor	Not Supported	
502.3.14 Event Notification	Supported	
502.4 Platform Accessibility Features	Supported with exceptions	Device offers double check key stroke detection with Fax
<b>503 Applications</b>	Heading cell – no response required	Heading cell – no response required
503.2 User Preferences	Supported with exceptions	One touch and address books
503.3 Alternative User Interfaces	Not Supported	
<b>503.4 User Controls for Captions and Audio Description</b>	Heading cell – no response required	Heading cell – no response required
503.4.1 Caption Controls	Not Supported	
503.4.2 Audio Description Controls	Not Supported	
<b>504 Authoring Tools</b>	Heading cell – no response required	Heading cell – no response required

Criteria	Conformance Level	Remarks and Explanations
504.2 Content Creation or Editing (if not authoring tool, enter “not applicable”)	See <a href="#">WCAG 2.0</a> section	See information in WCAG section
504.2.1 Preservation of Information Provided for Accessibility in Format Conversion	Supported	PDF, XPS, JPEG
504.2.2 PDF Export	Supported	PDF
504.3 Prompts	Supported	
504.4 Templates	Support	

## Chapter 6: Support Documentation and Services

Notes:

Criteria	Conformance Level	Remarks and Explanations
<b>601.1 Scope</b>	Heading cell – no response required	Heading cell – no response required
<b>602 Support Documentation</b>	Heading cell – no response required	Heading cell – no response required
602.2 Accessibility and Compatibility Features	Supported	
602.3 Electronic Support Documentation	See <a href="#">WCAG 2.0</a> section	See information in WCAG section
602.4 Alternate Formats for Non-Electronic Support Documentation	Support with exception	Material can be printed to paper base (No Braille ) provided
<b>603 Support Services</b>	Heading cell – no response required	Heading cell – no response required
603.2 Information on Accessibility and Compatibility Features	Supported	
603.3 Accommodation of Communication Needs	Supported	



Copyright © 2018 KYOCERA Document Solutions America, Inc. All rights reserved.

This document is provided for information purposes only and the contents are subject to change without notice. THIS DOCUMENT AND ITS CONTENTS ARE BELIEVED TO BE ACCURATE, BUT ARE DELIVERED WITHOUT WARRANTIES OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Kyocera specifically disclaims any liability with respect to this document and shall not be liable for any losses or damages of any kind that may result from the use of this document or the information contained herein.